

PRODUCTS LIST
animal feed



ESTRATTI PIANTE OFFICINALI

www.eposrl.com





Our Quality Your Safety



EPO Srl is an independent company established in 1933, producing **high quality botanical extracts**. EPO can offer a great variety of products: dry, soft, fluid, glycolic extracts, tinctures and hydroglyceric macerates, for **nutraceutical, pharmaceutical, cosmetic, food and feed** (feed materials and additives) industries.

EPO is certified according to UNI EN ISO 9001-2015, US 21CFR 111-117 for dietary supplements and ingredient, Kosher and for Organic products. Moreover, EPO was the first in Europe to launch a line of **DNA certified extracts**.



ESTRATTI PIANTE OFFICINALI

Natural remedies for dogs and cats wellness.



EPO Srl offers a wide range of plant extracts as natural remedies to support/protect the physiological **conditions of dogs and cats.**













The EPO extracts are classifiable as:

- **Feed materials** according to EC Regulation n. 68/2013 and 767/2009 and subsequent updates (code e.g. V0000000.M)
- **Feed additives** according to EC Regulation n. 1831/2003 (cat. 2b) and subsequent updates. *belong to 'sensory additives' category with the only flavouring property (cat2b) (code e.g. V0000000.A)



***Warning** – Information contained in this catalogue refers to available scientific literature data and traditional use of medicinal plants and their extracts. Therefore, the health indications are to be considered as suggestions for the maintenance of physiological functions; they do not claim prevention, treatment and cure of diseases; they are based on scientific studies conducted on dogs and cats; alternatively, and only as an example, the human traditional use is reported. However, there is no direct correspondence between humans and animals, as well as between the various animal species. EPO disclaims any responsibility in the use of its extracts out of the expected use and of the current legislation in the Country of use. In case of pathological conditions, you should consult with a veterinarian, the only qualified healthcare provider, who can make a diagnosis and prescribe a therapy.*



Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Aesculus hippocastanum</i> L. HORSE CHESTNUT	Sapindaceae (Hippocastanaceae) bark	In humans it is used for: gut functions; digestive; cardiovascular functions; anti-diaphoretic. Topical use: astringent, skin conditioning, tonic.	V0136130.M	Fluid extract	 
<i>Aesculus hippocastanum</i> L. HORSE CHESTNUT	Sapindaceae (Hippocastanaceae) seed (conker)	In humans it is used for blood circulation improvment. Topical use: skin conditioning.	V3518320.M	Dry extract 18.0-22.0 Triterp. glycosides as Aescine	
<i>Aloe barbadensis</i> Mill. (syn. <i>Aloe vera</i> (L.) Burm.f.) ALOE VERA	Xanthorrhoeaceae (Liliaceae) gel	Topical use: skin conditioning.	V7337502E.M	Powder gel 200:1 < 1.0 Barbaloin	
<i>Aloe barbadensis</i> Mill. (syn. <i>Aloe vera</i> (L.) Burm.f.) ALOE VERA	Xanthorrhoeaceae (Liliaceae) dried juice	Immune system booster; adjuvant for ophthalmic use. Skin care (inflammation, dandruff, bad smelling skin). Topical use: skin conditioning.	V3101420.M	Dry extract 19.0-22.0 Anhydrous Barbaloin	
<i>Arctium lappa</i> L. BURDOCK	Compositae (Asteraceae) root	Skin care (inflammation, dandruff, bad smelling skin). Oral hygiene. Topical use: skin conditioning. Also used in case of seborrheic skin conditions.	V3104702.M	Dry extract ≥ 2.0 Inulin	
<i>Arnica montana</i> L. et <i>Arnica</i> spp. ARNICA	Compositae (Asteraceae) flower (head)	For topical use only: masking, perfuming, skin conditioning. Also used in orthopedics.	V0103330.M	Fluid extract	
<i>Boswellia serrata</i> Roxb. ex. Colebr. BOSWELLIA	Burseraceae gum resin	Joints health. Carbohydrate metabolism. Topical use: smoothing, tonic.	V3536765.1A*	Dry extract 65% boswellic acid	
<i>Calendula officinalis</i> L. POT MARIGOLD	Compositae (Asteraceae)	Anti-inflammatory, emollient and soothing for the oropharyngeal mucosa and gastrointestinal system. In humans it is also used for skin care. Topical use: masking, perfuming, skin conditioning. Anti-acne.	V3006600.M	Dry extract DER 4/1	 
	flower (head)		V0106620.M	Fluid extract	 
			V1806665.1.M	Tincture DER 10/1	 
<i>Camellia sinensis</i> (L.) Kuntze GREEN TEA	Theaceae leaf (not subjected to fermentaion processes)	Carbohydrate metabolism. Weight loss aid. Antioxidant, free radical scavenger. In humans it is also used for gut functions. Topical use: antimicrobial, antioxidant, astringent, emollient, masking, oral care, skin conditioning, skin protecting, tonic, UV filter.	V3531195M	Dry extract ≥ 95.0 Polyphenols ≥ 65.0 Catechins	
<i>Carica papaya</i> L. PAPAYA (PAPAW)	Caricaceae dried fruit	Antioxidant and weight loss aid. Prebiotic effect, helps intestine functionality. In humans it is also used as immune system booster. Topical use: skin conditioning. Also used as keratolytic and skin whitening agent.	V3835600.1M	Dry extract DER 4/1	

Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Centella asiatica</i> (L.) Urban GOTU KOLA (CENTELLA, INDIAN PENNYWORT)	Apiaceae (Umbelliferae) leaf	In humans it is used as vasoconstrictor; anti-inflammatory; memory and cognitive enhancer. Topical use: skin conditioning.	V0109230.M	Fluid extract	
<i>Citrus paradisi</i> Mactad. GRAPEFRUIT	Rutaceae seed	Immune system booster. Antioxidant. Topical use: masking, perfuming. Anti-ageing.	V3125950.M V3125910.M	Dry extract (GSE) ≥ 50.0 Bioflavonoids Dry extract (GSE) ≥ 10.0 Bioflavonoids	
<i>Crataegus curvisepala</i> Lindm. (<i>C. rhipidophylla</i> Gand; <i>C. oxyacantha</i> L.) HAWTHORN	Rosaceae flower and leaf	Cardiovascular health; regulation of blood pressure. Antioxidant. Topical use: skin conditioning.	V3105402.M	Dry extract ≥ 2.5 Total Flavonoids as Hyperoside	
<i>Curcuma longa</i> L. TURMERIC	Zingiberaceae rizhome	Cognitive functions. Antioxidant. Adjuvant for ophthalmic use. Wound healing and skin care. Anti-inflammatory and weight loss aid. Topical use: skin conditioning.	V0112150.M	Fluid extract	
<i>Cynara scolymus</i> L. ARTICHOKE	Compositae (Asteraceae) cauline leaf	Liver functionality. Lipid metabolism (cholesterol). Antioxidant. Topical use: skin conditioning.	V3107602.M	Dry extract ≥ 2.5 Chlorogenic acid	
			V3107602.A*	Dry extract ≥ 2.5 Chlorogenic acid	
			V0207620.A*	Fluid extract	
			V0207620.M	Fluid extract	
			V1807655.1A*	Tincture DER 10/1	
<i>Echinacea angustifolia</i> DC. ECHINACEA (CONEFLOWER)	Compositae (Asteraceae) root	Immune system booster. In humans it is also used for urinary system health. Topical use: skin conditioning, hair conditioning, nail conditioning. Wound healing.	V0112750.M	Fluid extract	
			V1812755.1.M	Tincture DER 10/1	
<i>Eleutherococcus senticosus</i> (Rupr. et Maxim.) Maxim (syn. <i>Acanthopanax senticosus</i> (Rupr. et Maxim.) Harms.) SIBERIAN GINSENG	Araliaceae root	Gut functions (also in combination with probiotics). Topical use: astringent.	V0213220.M	Fluid extract	
<i>Eschscholzia californica</i> Cham. CALIFORNIAN POPPY	Papaveraceae herb	Relief of mild symptoms of stress, relaxing extract (used in behaviour disturbances). Topical use: skin conditioning.	V0113930.M	Fluid extract	



Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Eucalyptus globulus</i> Labill. EUCALYPTUS	Myrtaceae leaf from mature branches	In humans it is used as: balsamic; anti-inflammatory, emollient and soothing for oropharyngeal mucosa. Topical use: perfuming, skin conditioning.	V0214020.M	Fluid extract	
<i>Filipendula ulmaria</i> (L.) Maxim (syn. <i>Spiraea ulmaria</i> L.) MEADOWSWEET	Rosaceae flower and leaf	Skin care (anti-inflammatory and antimicrobial). In humans it is also used for urinary system and joints health and as digestive. Topical use: skin conditioning.	V3131902.M	Dry extract ≥ 0.2 Salicylic acid	 
			V0131920.M	Fluid extract	 
<i>Foeniculum vulgare</i> Miller FENNEL	Apiaceae (Umbelliferae) fruit	Spasmodic, carminative. Antibacterial, antifungal and acaricidal. In humans it is also used as digestive. Topical use: emollient, skin conditioning, soothing, tonic.	V3514905.M	Dry extract ≥ 0.5 Essential oil	 
<i>Fraxinus excelsior</i> L. EUROPEAN ASH	Oleaceae leaf	Liver functionality. Topical use: skin conditioning.	V3115402.M	Dry extract ≥ 2.0 Chlorogenic acid	
<i>Gentiana lutea</i> L. YELLOW GENTIAN (BITTERWORT)	Gentianaceae root	Antibacterial, antifungal, anti-parasites (worms). Topical use: skin conditioning.	V3016100.M	Dry extract DER 4/1	
			V0116120.M	Fluid extract	
<i>Ginkgo biloba</i> L. GINKGO	Ginkgoaceae leaf	Antioxidant. Memory and cognitive enhancer, neuroprotector. Improves cardiovascular health. Lipid metabolism. Topical use: skin conditioning.	V3516824.M	Dry extract ≥ 3.0 Tot. Ginkgoflavonoidi	
			V3516824.A*	Dry extract ≥24.0 Tot. Ginkgoflavonoidi - 6.0 Terpenelactones <5ppm Ginkolic acid	
			V0216830.M	Fluid extract	
<i>Glycyrrhiza glabra</i> L. LICORICE	Leguminosae (Fabaceae) root	Anti-inflammatory, emollient and soothing for the oropharyngeal mucosa, digestive. Lipid metabolism. Antifungal. In humans has hypertensive effects. Topical use: bleaching, emollient, perfuming, skin conditioning, smoothing, soothing.	V3119710.M V3119710.A*	Dry extract ≥ 10.0 Glycirrhhizic acid	
			V3119719.M	Dry extract ≥ 19.0 Glycirrhhizic acid	
			V0219720.M	Fluid extract 1.0-4.0 Glycirrhhizic acid	
<i>Hamamelis virginiana</i> L. WITCH-HAZEL	Hamamelidaceae leaf	Antioxidant. In humans is used for gut functions. Topical use: skin conditioning.	V3101705.M	Dry extract ≥ 5.0 Tannins	
			V0201730.M	Fluid extract	
<i>Harpagophytum procumbens</i> (Burch.) DC. DEVIL'S CLAW	Pedaliaceae tuber of secondary roots	In humans it is used for joints health and as digestive. Topical use: skin conditioning.	V3103602.A*	Dry extract ≥ 1.5 Arpagoside	
			V3503602.A*	Dry extract ≥ 2.5 Arpagoside	
			V0103620.M	Fluid extract	

Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Hieracium pilosella</i> L. (<i>Pilosella officinarum</i> Vaill.) COMMON HAWKWEED, MOUSE EAR	Compositae (Asteraceae) aerial part	Urinary system health (also used for flushing the urinary tract and minor urinary complaints). Topical use: masking, skin conditioning.	V3425001.M	Dry extract ≥ 1.0 Vitexin	
<i>Hypericum perforatum</i> L. ST. JOHN'S WORT	Hypericaceae herbs with flowers	Relaxing extract (used in behaviour disturbances). Topical use: skin conditioning.	V0118220.M	Fluid extract 0,002-0,005 Hypericin	
<i>Lavandula angustifolia</i> Mill. LAVANDER	Lamiaceae (Labiatae) flowering top	Oral hygiene. Relaxing. Relief of mild symptoms of stress and anxiety (spasmolytic). Topical use: flavouring, masking, oral care, perfuming, skin conditioning. It is also used for ear health.	V0219250.M	Fluid extract	
<i>Lespedeza capitata</i> Michx. LESPEDEZA (ROUND-HEADED BUSH CLOVER)	Leguminosae (Fabaceae) aerial part	Urinary system health. Topical use: skin conditioning.	V3019300.M	Dry extract ≥ 4.0 Total Flavonoids as Rutin	
			V0119330.M	Fluid extract	
<i>Lycium barbarum</i> L. GOJI (WOLFBERRY)	Solanaceae fruit (berry)	Antioxidant. Free radical scavenger. Cardiovascular health. Topical use: astringent, skin conditioning, hair conditioning.	V3564140.M	Dry extract 40% Polysaccharides	
<i>Malva sylvestris</i> L. MALLOW	Malvaceae leaf	Skin care (inflammation, dandruff, bad smelling skin). In humans it is also used for gut functions and as soothing for gastrointestinal and urinary systems. Topical use: skin conditioning.	V3020500.M	Dry extract DER 4/1	
<i>Matricaria chamomilla</i> L. (syn. <i>Chamomilla recutita</i> (L.) Rausch., <i>Matricaria recutita</i> L.) GERMAN CHAMOMILE	Compositae (Asteraceae) inflorescence (head)	In humans it is used as: digestive, spasmolytic, carminative; anti-inflammatory, emollient and soothing for the digestive system and respiratory tract. Relaxing extract; antiseptic. Topical use: masking, skin conditioning.	V3506900.A*	Dry extract ≥ 0.3 Total Apigenin	
			V3506912.M	Dry extract ≥ 1.2 Total Apigenin	
<i>Melilotus officinalis</i> (L.) Pallas SWEET CLOVER	Leguminosae (Fabaceae) aerial part (herb with flower)	Skin care (wound healing). In humans it is also used for cardiovascular health. Topical use: perfuming.	V0121230.M	Fluid extract	
<i>Melissa officinalis</i> L. LEMON BALM	Lamiaceae (Labiatae) leaf	Relief of mild symptoms of stress, relaxing extract. Antioxidant. In humans it is also used as digestive. Topical use: skin conditioning. Also used for ear health.	V0121330.M	Fluid extract	



Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Mentha x piperita</i> L. PEPPERMINT	Lamiaceae (Labiatae) leaf	Skin care. Oral hygiene. In humans it is also used as digestive and for liver functionality. Topical use: skin conditioning.	V3521506.M	Dry extract 0,5-0,7 Rosmarinic acid	
<i>Orthosiphon stamineus</i> Bent. (<i>Orthosiphon aristatus</i> (Blume) Miq.) JAVA TEA	Lamiaceae (Labiatae) leaf	Urinary system health (used for flushing the urinary tract). Topical use: skin conditioning.	V0123920.M	Fluid extract	
<i>Panax ginseng</i> C.A. Meyer GINSENG	Araliaceae root	Immune system booster. Cardiovascular health and blood pressure regulation. Liver functionality. Ears health. Cognitive functions. Skin care. Antioxidant. Topical use: emollient, hair conditioning, skin protecting, tonic.	V3816903.A*	Dry extract ≥ 3.0 Ginsenosides	 
			V3516905.M	Dry extract ≥ 5.0 Ginsenosides	
			V0316950.M	Fluid extract 1.0 Ginsenosides	
<i>Passiflora incarnata</i> L. PASSION HERB	Passifloraceae flowering herb	In humans it is used as: relief of mild symptoms of stress, relaxing extract; spasmolytic, carminative. Topical use: astringent.	V3124400.A*	Dry extract ≥ 0.5 Tot. Flav. as Vitexin	 
			V0124420.M	Fluid extract	
<i>Peumus boldus</i> Molina BOLDO	Monimiaceae leaf	In humans it is used as digestive and cholagogue and for gut and urinary system health. Topical use: masking.	V3105701.A*	Dry extract ≥ 0.05 Tot. Alkal. as Boldine	
<i>Phyllanthus niruri</i> L. STONEBREAKER (CHANCA PIEDRA)	Euphorbiaceae herb (aerial part)	Urinary system health. Anti-parasites (babesiosis and plasmodium). Topical use: antimicrobial, skin protecting.	V3040215S.M	Dry extract ≥ 15.0 Tannins	
Propolis PROPOLIS	Resinous mixture collected by bees from botanical sources	Immune system booster. Liver functionality. Antibacterial and antifungal. Oral hygiene. Also used for ear health.	V0226280.M	Fluid extract	
<i>Rhamnus frangula</i> L. (syn. <i>Frangula alnus</i> Miller) FRANGULA (ALDER BUCKTHORN)	Rhamnaceae stem and branches bark	In humans it is used for gut functions and as digestive. Topical use: skin conditioning, skin protecting.	V3515307.M	Dry extract ≥ 7,5-9,0 Hydroxyanthracene Eterosides as Glucofranguline	
<i>Rheum australe</i> D. Don (syn. <i>Rheum emodii</i> Wall. ex Meisn.) RHUBARB	Polygonaceae rizhome	Kidney functions. In humans it is also used as digestive and for gut functions.	V3564205.M	Dry extract ≥ 5.0 Hydroxyanthracene derivatives as Rhein	
<i>Ribes nigrum</i> L. BLACKCURRANT (CASSIS) BERRY	Grossulariaceae (Saxifragaceae) fruit (berry)	Skin care (inflammation, dandruff, bad smelling skin). In humans it is also used for gut functions. Topical use: astringent, emollient, perfuming, skin conditioning.	V3848201.M	Dry extract > 1.0 Tot. Anthocyanosides	

Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Ribes nigrum</i> L. BLACKCURRANT	Grossulariaceae (Saxifragaceae) leaf	In humans it is used for urinary system (flushing the urinary tract) and joints health. Topical use: perfuming, skin conditioning.	V3027600.M	Dry extract DER 4/1	
<i>Ribes nigrum</i> L. BLACKCURRANT	Grossulariaceae (Saxifragaceae) organic buds	Anti-inflammatory, anti-allergic (selective action on surrenal cortex to produce corticosteroid hormones).	VBG0927600.1M	Hydroglyceric extract (organic)	
<i>Rosa canina</i> L. DOG ROS (ROSEHIP)	Rosaceae rosehip without seeds	Joints health. Antioxidant. In humans it is also used for gut functions. Topical use: astringent, skin conditioning, tonic. Also used for ears health.	V3827970.M	Dry extract ≥ 70.0 Vitamin C	
			V0127950.M	Fluid extract	
<i>Rosmarinus officinalis</i> L. ROSEMARY	Lamiaceae (Labiatae) leaf	Antioxidant and antimicrobial. In humans it is used as: digestive, cholagogue, spasmolytic, carminative; and for cardiovascular health. Topical use: antimicrobial, masking, skin conditioning.	V0228330.M	Fluid extract	
<i>Ruscus aculeatus</i> L. BUTCHER'S BROOM	Asparagaceae (Liliaceae) root	Cardiovascular health. Topical use: astringent, refreshing, skin conditioning, soothing, stabilizing, tonic.	V3128505.M	Dry extract ≥ 5.0 Ruscogenin	
<i>Salix alba</i> L. WHITE WILLOW	Salicaceae branches bark	Joints health. Topical use: astringent, hair conditioning, skin conditioning, soothing, tonic.	V0128920.M	Fluid extract	
<i>Silybum marianum</i> (L.) Gaertner MILK THISTLE, MARIAN THISTLE	Compositae (Asteraceae) fruit	Liver and kidney functionality; antioxidant, free radical scavenger. Lipid metabolism. Topical use: skin conditioning.	V0108050.M	Fluid extract	
<i>Tamarindus indica</i> L. TAMARIND	Leguminosae (Fabaceae) mature fruit	Urinary system health (used for fluoride toxicity). Topical use: skin conditioning.	V3030800.M	Dry extract DER 4/1	
<i>Tilia platyphyllos</i> Scopoli LIME	Malvaceae (Tiliaceae) inflorescence	Relief of mild symptoms of stress, relaxing extract. It is also used for ear health. Topical use: skin conditioning.	V3131305M	Dry extract ≥ 5.0 Tot. Flavonoids	



Botanical name Common name	Botanical family Part of plant	Physiologic and healthcare applications	Code	Type of extract	DNA 100% EPO
<i>Trigonella foenum-graecum</i> L. FENU GREEK	Leguminosae (Fabaceae) seed	Carbohydrate, cholesterol and triglycerides metabolisms. Topical use: perfuming, skin conditioning.	V3014800.M	Dry extract DER 4/1	 
<i>Vaccinium myrtillus</i> L. BILBERRY	Ericaceae fresh berry	Immune system booster. Carbohydrate metabolism. Antioxidant. In humans it is also used for vision improvement and gut functions. Topical use: skin conditioning.	V3522001.M	Dry extract ≥ 1.0 Tot. Anthocyanosides	 
			V3522004.M	Dry extract ≥ 4.0 Tot. Anthocyanosides	 
			V3822000.M	Dry extract E/D 4/1	 
<i>Valeriana officinalis</i> L. VALERIAN	Caprifoliaceae (Valerianaceae) rhizome and root	Relief of mild symptoms of stress, relaxing extract. Topical use: masking, skin conditioning, soothing.	V3532200.M	Dry extract ≥ 0.42 Tot. Valerenic acids	 
			V0232220.M	Fluid extract	 
<i>Verbascum thapsus</i> L. MULLEIN	Scrophulariaceae flower	Antibacterial (also used in case of fleas). Ears health. In humans it is also used as emollient and soothing for the digestive system; relaxing extract. Topical use: skin conditioning, smoothing.	V3032500.M	Dry extract DER 4/1	 
<i>Viola tricolor</i> L. WILD PANSY	Violaceae aerial part with flower	In humans it is used as depurative (skin care) and for joints health. Topical use: emollient, skin protecting, soothing.	V3033200.M	Dry extract DER 4/1	 
			V0133230.M	Fluid extract	 
<i>Vitex agnus-castus</i> L. CHASTE TREE (INDIAN WILD PEPPER)	Lamiaceae (Labiatae) dried fruit (small drupe)	Topical use: astringent. It is also used as repellent for parasites.	V3500805.M	Dry extract ≥ 0.5 Agnuside	
<i>Withania somnifera</i> (L.) Dunal ASHWAGANDHA	Solanaceae leaf and root	General tonic, antioxidant. Liver functionality. Blood pressure regulation. Topical use: skin conditioning.	V3565602.M	Dry extract ≥ 2.5 Withanolides	
<i>Zea mays</i> L. CORN SILK (MAIZE)	Poaceae (Gramineae) fruit (stigma)	Oral hygiene. Topical use: binding, bulking.	V0120220.M	Fluid extract	
<i>Zingiber officinale</i> Roscoe GINGER	Zingiberaceae rizoma	Anti-nausea. Antioxidant. In humans it is also used for gastrointestinal, cardiovascular and urinary system health. Topical use: antimicrobial.	V3033700.M	Dry extract ≥ 1.0 Gingerols	



GUIDE TO HEALTHCARE APPLICATIONS



GASTROINTESTINAL FUNCTIONS	
LIVER FUNCTIONS	
URINARY SYSTEM HEALTH	
CARDIOVASCULAR SYSTEM HEALTH	
IMMUNE SYSTEM	
MUSCULOSKELETAL APPARATUS FUNCTIONS	
EYES, EARS AND MOUTH WELLNESS	
METABOLISM AND WEIGHT LOSS AID	
COGNITIVE FUNCTIONS AND ANTI-AGE	
SKIN CARE	
BEHAVIOUR	

GASTROINTESTINAL FUNCTIONS

Hamamelis virginiana L. **WITCH-HAZEL**

Harpagophytum procumbens (Burch.) DC. **DEVIL'S CLAW**

Peumus boldus Molina **BOLDO**

Calendula officinalis L. **POT MARIGOLD**

Matricaria chamomilla L. **GERMAN CHAMOMILE**

Cinnamomum verum J.Presl. (syn. *Cinnamomum zeylanicum* Blume) **CINNAMON**

Eleutherococcus senticosus (Rupr. et Maxim.) Maxim **SIBERIAN GINSENG**

Eucalyptus globulus Labill. **EUCALYPTUS**

Foeniculum vulgare Miller **FENNEL**

Rhamnus frangula L. (syn. *Frangula alnus* Miller) **FRANGULA (ALDER BUCKTHORN)**

Gentiana lutea L. **YELLOW GENTIAN (BITTERWORT)**

Aesculus hippocastanum L. **HORSE CHESTNUT CORTEX**

Glycyrrhiza glabra L. **LICORICE**

Malva sylvestris L. **MALLOW**

Melissa officinalis L. **LEMON BALM**

Mentha x piperita L. **PEPPERMINT**

Vaccinium myrtillus L. **BILBERRY**

Carica papaya L. **PAPAYA (PAPAW)**

Passiflora incarnata L. **PASSION HERB**

Rheum australe D. Don (syn. *Rheum emodii* Wall. ex Meisn.) **RHUBARB**

Ribes nigrum L. **BLACKCURRANT BERRY**

Rosa canina L. **DOG ROS (ROSEHIP)**

Rosmarinus officinalis L. **ROSEMARY**

Tamarindus indica L. **TAMARIND**

Camellia sinensis (L.) Kuntze **GREEN TEA**

Filipendula ulmaria (L.) Maxim (syn. *Spiraea ulmaria* L.) **MEADOWSWEET**

Verbascum thapsus L. **MULLEIN**

Zingiber officinale Roscoe **GINGER**



LIVER FUNCTIONS

Withania somnifera (L.) Dunal **ASHWAGANDHA**

Peumus boldus Molina **BOLDO**

Cynara scolymus L. **ARTICHOKE**

Silybum marianum (L.) Gaertner **MILK THISTLE**

Fraxinus excelsior L. **EUROPEAN ASH**

Gentiana lutea L. **YELLOW GENTIAN (BITTERWORT)**

Panax ginseng C.A. Meyer **GINSENG**

Mentha x piperita L. **PEPPERMINT**

Propolis **PROPOLIS**

Rosmarinus officinalis L. **ROSEMARY**

URINARY SYSTEM HEALTH

Peumus boldus Molina **BOLDO**

Silybum marianum (L.) Gaertner **MILK THISTLE**

Echinacea angustifolia DC. **ECHINACEA (CONEFLOWER)**

Phyllanthus niruri L. **STONEBREAKER (CHANCA PIEDRA)**

Lespedeza capitata Michx. **LESPEDEZA (ROUND-HEADED BUSH CLOVER)**

Malva sylvestris L. **MALLOW**

Orthosiphon stamineus Bent. **JAVA TEA**

Hieracium pilosella L. **COMMON HAWKWEED, MOUSE EAR**

Rheum australe D. Don (syn. *Rheum emodii* Wall. ex Meisn.) **RHUBARB**

Ribes nigrum L. **BLACKCURRANT LEAF**

Tamarindus indica L. **TAMARIND**

Filipendula ulmaria (L.) Maxim (syn. *Spiraea ulmaria* L.) **MEADOWSWEET**



CARDIOVASCULAR SYSTEM HEALTH

Withania somnifera (L.) Dunal **ASHWAGANDHA**

Crataegus rhipidophylla Gand. (*C. curvisepala* Lindm.; *C. oxyacantha* L.) **HAWTHORN**

Hamamelis virginiana L. **WITCH-HAZEL**

Cinnamomum verum J.Presl. (syn. *Cinnamomum zeylanicum* Blume) **CINNAMON**

Centella asiatica (L.) Urban **GOTU KOLA (CENTELLA, INDIAN PENNYWORT)**

Ginkgo biloba L. **GINKGO**

Panax ginseng C.A. Meyer **GINSENG**

Lycium barbarum L. **GOJI**

Aesculus hippocastanum L. **HORSE CHESTNUT SEED**

Melilotus officinalis Pallas **SWEET CLOVER**

Rosmarinus officinalis L. **ROSEMARY**

Ruscus aculeatus L. **BUTCHER'S BROOM**

Zingiber officinale Roscoe **GINGER**



IMMUNE SYSTEM

Aloe barbadensis Mill. (syn. *Aloe vera* (L.) Burm.f.) **ALOE**

Echinacea angustifolia DC. **ECHINACEA (CONEFLOWER)**

Panax ginseng C.A. Meyer **GINSENG**

Vaccinium myrtillus L. **BILBERRY**

Carica papaya L. **PAPAYA (PAPAW)**

Citrus paradisi Macfad. **GRAPEFRUIT SEED**

Propolis **PROPOLIS**



MUSCULOSKELETAL APPARATUS FUNCTIONS

Harpagophytum procumbens (Burch.) DC. **DEVIL'S CLAW**

Boswellia serrata Roxb. ex. Colebr. **BOSWELLIA**

Curcuma longa L. **TURMERIC**

Ribes nigrum L. **BLACKCURRANT LEAF**

Rosa canina L. **DOG ROS (ROSEHIP)**

Salix alba L. **WHITE WILLOW**

Filipendula ulmaria (L.) Maxim (syn. *Spiraea ulmaria* L.) **MEADOWSWEET**

Viola tricolor L. **WILD PANSY**

Zingiber officinale Roscoe **GINGER**

EYES, EARS AND MOUTH WELLNESS

EYES

Aloe barbadensis Mill. (syn. *Aloe vera* (L.) Burm.f.) **ALOE**

Vaccinium myrtillus L. **BILBERRY**

EARS

Aloe barbadensis Mill. (syn. *Aloe vera* (L.) Burm.f.) **ALOE**

Panax ginseng C.A. Meyer **GINSENG**

Melissa officinalis L. **LEMON BALM**

Propolis **PROPOLI**

Rosa canina L. **DOG ROS (ROSEHIP)**

Tilia platyphyllos Scopoli **LIME**

Verbascum thapsus L. **MULLEIN**


MOUTH WELLNESS

Arctium lappa L. **BURDOCK**

Zea mays L. **CORN SILK (MAIZE)**

Mentha x piperita L. **PEPPERMINT**

Propolis **PROPOLIS**





METABOLISM AND WEIGHT LOSS AID

Boswellia serrata Roxb. ex. Colebr. **BOSWELLIA**

Cinnamomum verum J.Presl. (syn. *Cinnamomum zeylanicum* Blume) **CINNAMON**

Cynara scolymus L. **ARTICHOKE**

Silybum marianum (L.) Gaertner **MILK THISTLE**

Curcuma longa L. **TURMERIC**

Trigonella foenum-graecum L. **FENU GREEK**

Ginkgo biloba L. **GINKGO**

Glycyrrhiza glabra L. **LICORICE**

Vaccinium myrtillus L. **BILBERRY**

Carica papaya L. **PAPAYA (PAPAW)**

Camellia sinensis (L.) Kuntze **GREEN TEA**

COGNITIVE FUNCTIONS AND ANTI-AGE

Centella asiatica (L.) Urban **GOTU KOLA (CENTELLA, INDIAN PENNYWORT)**

Curcuma longa L. **TURMERIC**

Ginkgo biloba L. **GINKGO BILOBA**

Panax ginseng C.A. Meyer **GINSENG**

SKIN CARE

Aloe barbadensis Mill. (syn. *Aloe vera* (L.) Burm.f.) **ALOE**

Arnica montana L. et *Arnica* spp. **ARNICA**

Arctium lappa L. **BURDOCK**

Calendula officinalis L. **POT MARIGOLD**

Curcuma longa L. **TURMERIC**

Phyllanthus niruri L. **STONEBREAKER (CHANCA PIEDRA)**

Foeniculum vulgare Miller **FENNEL**

Gentiana lutea L. **YELLOW GENTIAN (BITTERWORT)**

Panax ginseng C.A. Meyer **GINSENG**

Malva sylvestris L. **MALLOW**

Melilotus officinalis Pallas **SWEET CLOVER**

Mentha x piperita L. **PEPPERMINT**

Ribes nigrum L. **BLACKCURRANT BERRY**

Filipendula ulmaria (L.) Maxim (syn. *Spiraea ulmaria* L.) **MEADOWSWEET**

Verbascum thapsus L. **MULLEIN**

Viola tricolor L. **WILD PANSY**





BEHAVIOUR

Matricaria chamomilla L. **GERMAN CHAMOMILE**

Eschscholzia californica Cham. **CALIFORNIAN POPPY**

Hypericum perforatum L. **ST. JOHN'S WORT**

Melissa officinalis L. **LEMON BALM**


Passiflora incarnata L. **PASSION HERB**

Tilia platyphyllos Scopoli **LIME**

Valeriana officinalis L. **VALERIAN**

Verbascum thapsus L. **MULLEIN**

NATIONS IN WHICH EPO EXPORTS IN THE WORLD



ALASKA
ALBANIA
ARGENTINA
AUSTRALIA
AUSTRIA
AZERBAIJAN
BELGIUM
BOLIVIA
BULGARIA
CHILE
CHINA
CROATIA
CZECH REPUBLIC
DENMARK

DOMINICAN
REPUBLIC
EGYPT A.R.
EL SALVADOR
FINLAND
FRANCE
GEORGIA
GERMANY
GREECE
GUATEMALA
HAWAII
HUNGARY
ITALY
INDIA

INDONESIA
IRAN, ISLAMIC REP.
IRELAND
ISRAELE
JAPAN
JORDAN
KOREA, REPUBLIC
KUWAIT
LATVIA
LEBANON
LIECHTENSTEIN
LITHUANIA
LUXEMBOURG
MACEDONIA, REP.

MOLDOVA
MOROCCO
NETHERLANDS
NEW ZEALAND
NORWAY
PANAMA
PERU'
POLAND
PORTUGAL
ROMANIA
SAN MARINO
SERBIA
SINGAPORE
SLOVAKIA

SLOVENIA
SOUTH AFRICA
SPAIN
SWITZERLAND
TAIWAN
TUNISIA
TURKEY
U.S.A.
UKRAINE
UNITED KINGDOM
URUGUAY
VIETNAM





ESTRATTI PIANTE OFFICINALI

**REGISTERED OFFICE
AND LABORATORIES:**

Via Stadera 19, 20141 Milan, MI, Italy

OPERATIONAL OFFICE:

Via Friuli 12/14, 20090
Fizzonasco di Pieve Emanuele, MI, Italy

**MANUFACTURING FACTORY
AND QUALITY ASSURANCE:**

Via Norma Parenti 5, 20090
Fizzonasco di Pieve Emanuele, MI, Italy

**SHIPMENT
DEPARTMENT:**

Via Vico Veneto 22, 20090
Fizzonasco di Pieve Emanuele,
MI, Italy

**RAW MATERIAL
WAREHOUSE:**

Via Norma Parenti 20, 20090
Fizzonasco di Pieve Emanuele,
MI, Italy





EPO S.R.L

ISTITUTO FARMOCHIMICO FITOTERAPICO

Via Stadera 19, 20141 Milan (Italy)

Phone: +39 02 895571 - Fax: +39 02 89557490

E-mail: epo@eposrl.com



ESTRATTI PIANTE UFFICINALI

www.eposrl.com